

Wireless Solutions

Specification www.acantenna.com

2.4/5.8G Omni-Directional Adhesive Mount Low Profile Flat Antenna Part No:AC-Q2458M03

1. Introduction

This dualband adhesive mount antenna is a simple cellular antenna covering 2.4&5.8G bands.

The antenna has a compact design permitting unobtrusive and convenient installation in automotive vehicles due it has a strong 3M adhesive on the backing. 115 mm long and has an omni-directional radiation pattern that delivers up to 3.5 dBi of gain with an integrated ground-plane. With a very low unit cost this antenna provides economical performance for a range of applications requiring the use of an external antenna.

Designed for M2M applications such as vending machines, meter housings, equipment sheds, or other locations requiring an inconspicuous low-profile external antenna.

Can be vehicle mounted for buses, vans, trucks or other mobile installations.





Wireless Solutions

Specification www.acantenna.com

2. Specification

•	
Electrical	
Frequency Range	2400-2483/5150-5850MHz
Gain	3dBi
V.S.W.R	≤1.8
Radiation	Omni-Direction
Polarization	Vertical
Maximum Input Power	50W
Impedance	50Ώ
Connector	SMA Male(can be customization)
Cable Type	RG174
Cable Length	3M
Antenna Radome Material	ABS
Mount way	Self Adhesive
Mechanical	
Dimensions	22x115mm
Weight	45g
Operating Temperature	-40℃ to+70℃
RoHS Compliant	YES